

Ordinance
No. 626

An ordinance to amend Section 4 of Ordinance No. 590 entitled "An ordinance regulating the plumbing, ventilation and drainage of buildings in the city of Albany, Oregon, providing for the appointment of an inspector of plumbing, prescribing his qualifications, powers, duties and compensation and providing a penalty for violation thereof," passed by the Council of said City on the 12th day of June, 1912, approved by the Mayor June 12, 1912.

The People of the City of Albany do Ordain As Follows:-

Section 1. That Section 4 of Ordinance No. 590 entitled "An ordinance regulating the plumbing, ventilation and drainage of buildings in the City of Albany, Oregon, providing for the appointment of an inspector of plumbing, prescribing his qualifications, powers, duties and compensation, and providing a penalty for violation thereof," and passed by the Council of said City on the 12th day of June, 1912, approved by the Mayor, June 12, 1912, be and the same is hereby amended so as to read as follows:-

(Material and Workmanship).

Section 4. All material must be of good quality and free from defects, and the work must be executed in a thorough and workman-like manner.

(Strength of Soil Pipe)

All cast iron soil pipe and fittings must be sound and free from holes or cracks, thoroughly coated inside and out with tar, asphalt or pitch and of a grade known in commerce as extra heavy, in all buildings more than two stories in height, and in one and two story buildings may be of a grade known as standard.

Extra heavy.

- 2 inch 52 lbs per lineal foot.
- 3 inch 72 lbs per lineal foot.
- 4 inch 93 lbs per lineal foot.
- 5 inch 115 lbs per lineal foot.
- 6 inch 138 lbs per lineal foot.
- 7 inch 162 lbs per lineal foot.
- 8 inch 187 lbs per lineal foot.

Standard.

- 2 inch 32 lbs per lineal foot.
- 3 inch 42 lbs per lineal foot.
- 4 inch 52 lbs per lineal foot.
- 5 inch 62 lbs per lineal foot.
- 6 inch 72 lbs per lineal foot.
- 7 inch 82 lbs per lineal foot.
- 8 inch 92 lbs per lineal foot.

The size, weight and maker's name must be cast on each length of pipe and fittings.

(Lead Traps and Waste Pipes.)

Lead traps and branch waste pipes shall not be less than the following sizes, and must be of drawn lead of the best quality and not less than the following weight per lineal foot:

| Sizes. | | Weight. |
|------------------------------------|--------------|---------------------|
| Water Closets 4 inches | 4 inches | 5 lbs per foot. |
| Basins and pantry sinks 3 inches | 3 inches | 4 1/2 lbs per foot. |
| Kitchen Sinks 2 inches | 2 inches | 4 lbs per foot. |
| Bath and Laundry Tubs 1 1/2 inches | 1 1/2 inches | 3 lbs per foot. |
| Drop Sinks 2 inches | 1 1/2 inches | 2 1/2 lbs per foot. |

No wrought iron pipe shall be used for waste pipe except in buildings of Class A reinforced concrete type, the Durban system as approved by the Inspector of Plumbing, may be used.

(Joints and Ferrules.)

Joints in cast iron pipes shall be made with pure lead and picked oakum, well caulked and no paint, varnish, or putty will be allowed in caulking said joints. Joints in wrought iron pipes shall be screwed joints. Joints on lead or brass pipe shall be in all cases wiped solder joints or screwed joints, with standard iron pipe thread. Joints between lead and iron pipes shall be made by cast or drawn extra heavy brass caulking, ferrules, or solder nipples, for vent pipe, the full size of pipe, joints shall be air and water tight.

Section 2. Whereas existing conditions are such that this ordinance is necessary for the immediate preservation of the public peace, health and safety, an emergency is declared to exist and this ordinance shall take effect and be in full force from and after its approval by the Mayor.

Passed the Council, Dec 11 1912
Approved Dec 18 1912

Attest:

F. H. Farrell
Recorder of the City of Albany

J. J. Giverson
Mayor.

CITY RECORDER'S CERTIFICATE

STATE OF OREGON. }
COUNTY OF LINN. } sr.

I, F. E. Van Tassel, Recorder of the City of Albany, in Linn County, and State of Oregon, do hereby certify that the foregoing and annexed copy of.....

Ordinance No. 626
has been by me carefully compared with the original *Ordinance Bill No. 684*
now on file in my office, and that it is a true and correct copy of all and the whole of said
Ordinance Bill No. 684, as framed by the Council of the
City of Albany, Oregon, December 11th 1912

Witness, my hand and official signature and the seal of the City of Albany, this

18th day of *December* 1912

F. E. Van Tassel

Recorder of the City of Albany.